Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US04/041715

International filing date: 08 December 2004 (08.12.2004)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 60/527,946


Filing date: 08 December 2003 (08.12.2003)

Date of receipt at the International Bureau: 10 January 2005 (10.01.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





TWO ARE TREATMENT THE SECURISE NISS SHALL CONFER

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

January 05, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/527,946
FILING DATE: December 08, 2003
RELATED PCT APPLICATION NUMBER: PCT/US04/41715



1269484

Certified By

Jon W Dudas

Under Secretary of Commerce for Intellectual Property and Acting Director of the Unites States Patent and Trademark Office PTO/SB/16 (08-03)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53 (c). Express Mail Rabel no: EV413351647US

INVENTOR(S)										
Given Name (first and midd	Family	Name or Surnan	ie (City an	Residence (City and either State or Foreign Country)						
Piero Andreas		Madar	(51.) (21.)	Indianapolis, Indiana						
Richard Earl		Jones		Plainfield, Indiana						
Additional inventors are being named on the separately numbered sheets attached hereto								\dashv		
TITLE OF THE INVENTION (500 characters max)										
METHOD AND APPARATUS FOR RESTRICTING PLAYBACK OF RECORDED DVD CONTENT										
Direct all correspondence to: CORRESPONDENCE ADDRESS								PT		
Customer Number							S			
OR								إ⊂		
Firm or Individual Name	JOSEPH S. TRIPOLI, THOMSON LICENSING INC.									
Address	PATENT OPERATIONS									
Address	P. O. BOX 53	P. O. BOX 5312								
City	PRINCETON		State	NJ		ZIP	08543-5312			
Country	USA		Telephone	609 - 734-6834		Fax	609 - 734-6888	_		
ENCLOSED APPLICATION PARTS (check all that apply)										
Specification Number of Pages 8 CD(s), Number										
Drawing(s) Number of Sheets 3 Other (specify)										
Application Data Sheet. See 37 CFR 1.76										
METHOD OF PAYMENT OF FILING	G FEES FOR THE	S PROVISIO	NAL APPLICATIO	FOR PATENT						
Applicant claims small e	entity status.	See 37 CF	R 1.27.		-					
A check or money orde	-						FILING FEE			
							AMOUNT (\$)	_		
The Director is hereby authorized to charge filing										
fees or credit any overpayment to Deposit Account Number: 07-0832 160 Payment by credit card. Form PTO-2038 is attached.										
The invention was made by	an agency of			nment or under	a contra	act with	n an agency of	\dashv		
the United States Government.										
□ No.										
Yes, the name of the U.S. Government agency and the Government contract number are:										
Respectfully submitted, Date 12/8/03										
SIGNATURE	T' W	//	REGI	STRATION NO.	4	2,804				
TYPED or PRINTED NAME	Reitseng Lir	<u> </u>		propriate)						
TELEPHONE 609-734-68	813		Dock	et Number:	PU0	30323				

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

December 8, 2003

PTO/SB/17 (08-03)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

CEE TO ANICHITTAL			Complete if Known								
FEE TRANSMITTAL for FY 2003					Application Number						
					Filing Date						
					First Named Inventor			Piero Andreas Madar			
Effective 01/01/2003. Patent fees are subject to annual revision.								FIELU ANGREAS MAGAR			
Applicant claims small entity status. See 37 CFR 1.27					Examiner Name						
				1	Art Unit						
TOTAL AMOU	NI OF PAYMENI	(\$) 160		Attorney Docket No. PU030323					<i>_</i>		
ME	THOD OF PAYMENT (C	heck all that ap	oly)	FEE CALCULATION (continued)							
☐ Check ☐ Credit card ☐ Money ☐ Other ☐ None				3. ADDITIONAL FEES							
Order Deposit Account:				Large	Large Entity Small Entity						
- '				Fee	Fee	Fee	Fee	Fee De	escription	Fee Paid	
Deposit Account	07-0832			Code 1051	(\$) 130	2051	(\$) 65		filing fee or oath	10010	
Number			1052	50	2052	25	-	provisional filing fe	。 ├──┤ │		
D'h								or cover sheet.	providence many is	<u> </u>	
Deposit Account THOMSON LICENSING INC.			1053	130	1053	130	Non-English spe	ecification			
Name	THOMSON EIGENSING	1 II VO.		1812	2,520		2,520	For filing a requ	est for reexaminatio	n	
The Director is authorized to: (check all that apply)				1804	920*	1804	920*	Requesting public Examiner action	lication of SIR prior	to	
☐ Charge fee(s) indicated below ☐ Credit any overpayments ☐ Charge any additional fee(s) during the pendency of this application				1805	1,840	1805	1,840*	Requesting public Examiner action	lication of SIR after		
to the above-identi	ndicated below, exceptified deposit account.	t for the filing	tee	1251	110	2251	55	Extension for re	ply within first month	n	
10 1110 00010 10011	FEE CALCULA	ATION	· · · · · · · · · · · · · · · · · · ·	1252	420	2252	210	Extension for re month	ply within second		
1. BASIC FI	LING FEE			1253	950	2253	475	Extension for re	ply within third mont	th	
	Small Entity			1254	1,480	2254	740		ply within fourth		
	ee Fee <u>Fee Des</u> Code (\$)	scription	Fee Paid	1255	2,010	2255	1,005		ply within fifth month	,	
	001 385 Utility fil	lina fee		1401	330	2401	165	Notice of Appea			
		filing fee	•	1402	330	2402	165		support of an appeal	,	
	003 265 Plant fili	_		1403	290	2403	145	Request for oral			
	004 385 Reissue	filing fee		1451	1,510	1451	1,510	Petition to institu	ute a public use		
1005 160 2	005 80 Provisio	onal filling fee	160	1452	110	2452	55	Petition to revive	e – unavoidable		
SUBTOTAL (1) (\$) 160			1453	1,330	2453	665	Petition to revive	e – unintentional			
				1501	1,330	2501	665	Utility issue fee	(or reissue)		
2. EXTRA CLA	IM FEES FOR UTIL			1502	480	2502	240	Design issue fee	Э		
	Extra Claims	Fee fron s below	n Fee Paid	1503	640	2503	320	Plant issue fee			
Total Claims	· ** = 0	_ ×	= 0	1460	130	1460	130	Petitions to the	Commissioner		
Independent	-			1807	50	1807	50		under 37 CFR 1.17		
Clairns Multiple	. " = 0	_ × [= 0	1806	180	1806	180	Submission of I	nformation Disclosu	re	
Dependent		x	= 0	8021	40	8021	40	Recording each per property (time	patent assignment nes number of		
Large Entity	Small Entity			1,000	770	,,,,,		properties)		.	
Fee Fee Code (\$)	Code (s)	e Description		1809	770	2809	385	Filing a submiss (37 CFR § 1.129	sion after final rejecti 9(a))	ion	
1202 18		ims in excess o		1810	770	2810	385		onal invention to be		
1201 86		lependent claim				1		examined (37 C	гн § 1.129(b))		
1203 290			t claim, if not paid	1801	770	2801	385	Request for Contin	ued Examination (RC	(E)	
1204 86		Heissue indeper ginal patent	ndent claims over	1802	900	1802	900	Request for expec			
1205 18		•	n excess of 20 and					of a design applic			
1205 18 2205 9 Nessule claims in excess 0120 and over original patent					e (spe	ecify)					
SUBTOTAL (2) (\$) 0					Other fee (specify) *Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$) 0						
(*)											
**or number previously paid, if greater; For Reissues, see above									(\$)		
SUBMITTED BY						Com	plete (if applicable)				
Name (Print/Type)	Reitseng Lin	. 🛆	Registration No. (Attorney/Agent)		، [12,804		Telephone	609-734-6813		

Signature

WRNING—Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Express Label no EV413351647US

IU030360

METHOD AND APPARATUS FOR RESTRICTING PLAYBACK OF RECORDED DVD CONTENT

Technical Field of Invention

This invention relates to the field of video recording apparatus, and, more particularly, to a DVD recorder that allows a user to enter a security code, so that the recorded content can be played back only if the correct security code is entered.

Background Art

There are currently two re-writeable DVD standards: DVD+RW and DVD-RW. The DVD+RW standard does not provide a method to restrict access to recordings. In fact, the current DVD+RW standard does not even provide parental management, which allows distributors to release multiple ratings versions of a movie on a single DVD disc and allows parents to lock a movie rating into their DVD player with a password, so that it will not play objectionable pieces. The DVD-RW standard, although includes parental management, does not provide a method allowing users to attach a security code to a recording made on their own DVD recorder.

Disclosure of Invention

According to the principles of the invention, a video recorder allows a user to enter a security code in a recording to restrict a playback of the recording. For a DVD recorder, the security code is stored in a user field included in presentation control information of the DVD.

The DVD recorder may display a setup menu immediately after a recording is completed or when a recorded DVD has been inserted into the

5

10

15

20

25

DVD recorder for the user to enter the security code. If the recording includes more than one title, the recorder may allow the user to enter a security code for each title.

Brief Description of Drawings

FIG. 1 is an illustrative video recorder according to the principles of the invention for allowing a user to enter a security code in a recording.

5

10

15

20

25

FIG. 2 is an example of the presentation sequence of a video player when playing back a recording made according to the principles of the invention.

FIG. 3 illustrates a process performed by the DVD recorder according to the principles of the invention for allowing a user to enter a security code in a recording.

Detailed Description

FIG. 1 illustrates a video recorder, such as a DVD recorder, according to the principles of the invention, for building a menu using a stored image as a background of the menu in the recorded video/audio. The video recorder includes a controller, a MPEG encoder, a MPEG decoder, and a disc drive. The recorder also includes a baseband A/V input for receiving baseband video signals. Optionally, the recorder may also receive broadcast video signals from a tuner.

The controller receives the input video signals either from the baseband A/V input or the tuner, depending on the position of a switch. The controller processes the input video signals, and generates output video signals representing the input video signals. The output video signals are recorded into a first memory device, illustratively, a DVD-R, DVD-RW or

DVD+RW. Other memory device such as VCD, and nonvolatile memory such as a hard disk and SRAM can be used as well.

The disc drive, under the control of the controller or a separate processor (not shown) under the control of the controller, serves as a recording interface to the first memory device.

5

10

15

20

Although illustrated as receiving analog signals, the recorder may receive MPEG input signals as well, if the recorder includes a MPEG decoder and a NTSC/PAL encoder to convert the MPEG signals into NTSC/PAL signals. Both the MPEG decoder and the NTSC/PAL encoder are not shown.

When a recording is completed or a recorded disc is inserted into the video recorder, the controller displays a setup menu requesting a user to enter a security code, such as a password, for the recording. In DVD applications, this security code is saved to a user data field of a file in the recording, for example, the reserved field in the RECI (recording information) file as part of the presentation control information described, for example, in DVD Specifications for Rewriteable Disc, and the VRMI_RECI_UD field of the VRMI_RECI (recording information) file as described in DVD+RW Video Format Specifications. The controller also modifies the Video Manager (VMGM) menu to include a password menu, and modifies the Program Chain Information Table (PGCIT) of the VMGM, so that when the recorded DVD is played back, the DVD player will display the password menu requesting the user to enter a security code. If the security code does not match the security code saved for the recording, the DVD player will not play the contents of the recording.

As described in the DVD player specification (DVD specifications for Read-only Disc, Part 3 Video, Version 1.13), a PGC (program chain) prescribes the presentation sequence of an audio/video block. A recording is normally contained within a single PGC, although multiple PGCs, each for a title, are allowed as well. Since the method according to the principles of the invention conforms to the DVD player standard as well, all DVD-compliant players on the market should honor this restriction method.

5

10

15

20

25

For information purposes, the presentation sequence in a DVD player is briefly described below. The presentation of a PGC in a DVD player occurs in three basic stages: execution of PRE commands, playback of audio/video, and execution of POST commands. "Commands" are a set of internal DVD instructions that the player must perform. For examples, the set of PRE commends may include instructions such as selecting correct audio language or subpicture tracks and jumping to a menu or title on the disc, and the set of POST commands may include jumping to another title or menu.

According to the principles of the invention, the set of available set of commands within the DVD player can be authored on a recorded disc in such a way as to allow or prohibit the playback of any PGC (recording), based only on key input from the user. The method inserts additional PRE commands into the normal presentation sequence discussed above. These PRE commands causes playback to be diverted to a password challenging menu screen, where the user is asked to key in a security code, such as a sequence of alphanumerical characters. If the security code matches the stored security code that was authored on the disc, then playback proceeds normally. An example of the new presentation sequence is shown in FIG. 2.

FIG. 3 illustrates a process performed by a DVD recorder according to the principles of the invention for allowing a user to enter a security code, such as a password, in a recording. After a user has inserted a recorded DVD disk to the DVD recorder made according to the principles of the invention, the user chooses a single recording. In response, the recorder displays the message "Set or Change Password." This message preferably is accomplished by two interface buttons, one for allowing the user not to set or change the password, and the other allows the user to set/change the password. The user may choose not to set a password or not to change the existing password. However, if the user chooses to set/change password but no password was set, the recorder asks the user to key in a password and saves the password in the user data field of a file existed in the recording, for example, the VRMI_RECI_UD field of the VRMI_RECI file in the DVD+RW standard. On the other hand, if a password was already entered, the recorder asks the user to enter the old password and the new password. If the old password matches the stored password, the stored password is replaced by the new password.

5

10

15

20

After the new password has been saved, the recorder, in particular the controller in the recorder, creates a password menu screen set in VMGM video objects (VOBs). In addition, the recorder also creates password menu processing commands, so that a DVD player will execute those commands to compare the entered password with the stored password and allows the playback of the recording if the entered password matches the stored password.

The recorder then adds two PRE commands in the PGC of the title, so that a playback is redirected to password menu in the VMGM domain. One of the PRE commands is to set a register, for example, for setting subpicture settings, and the other is to jump to the password menu VOB, for example, by calling the CallSS command in the DVD standards. Note that if the entered password matches the stored password, the last password menu processing command executed should return the execution to the next step of the original presentation sequence. An example of this command is the RSM (resume) command in the standards. Of course, if the entered password does not match the stored password, the last password menu processing command should terminate the playback, such as calling the EXIT command described in the standards.

5

10

15

20

25

The actual insertion of the additional PRE commands can be accomplished either when the recording is closed (stopped), or at anytime thereafter. If a disc is already recorded, the recorder will display the "Set or Change Password" message immediately after the disc is inserted into the recorder.

Although illustrated as setting a password for a title, if there is a plurality of title, the recorder may allow user to enter a different password for each title. Furthermore, although illustrated as a DVD recorder, the principles of the invention can be applied to any video recorder that can insert a security code and change the presentation sequence in a recording and a corresponding video player is able to execute the changed presentation sequence, accept a security code from a user, and check the entered security code against the stored security code before playing the recording content.

While this invention has been described with regard to a few presently preferred embodiments, those skilled in this art will readily appreciate that many alternative modes and embodiments can be carried out without departing from the spirit and scope of this invention.

5

CLAIMS

What is claimed is:

5

10

- 1. A video recorder comprising:
- a controller for processing input video signals to generate output video signals; and

a memory interface for recording the output video signals to a first memory device, wherein

the controller inserts a security code to the recording restricting a playback of the recording in response to a user entering the security code.

- 2. The video recorder of claim 1, wherein the memory device is a DVD.
- 3. The video recorder of claim 2, wherein the controller stores the security code in a user field included in presentation control information of the DVD.
- The video recorder of claim 3, further comprising an on-screen display
 processor, under control of the controller, for displaying a setup menu
 including input for the entered security code.
 - 5. The video recorder of claim 4, wherein the on-screen display processor displays the setup menu when a DVD with the recording is inserted to the recorder.
- 20 6. The video recorder of claim 4, wherein the setup menu includes an input for each title for the user to enter a security code.




FIG.




FIG. 2

